



## JOC302XM4 Series

Rev.A.1.0

### DESCRIPTION:

The JOC302XM4 series combine an AlGaAs infrared emitting diode as the emitter which is optically coupled to a monolithic silicon random-phase photo triac in a plastic SOP4 package. With the robust coplanar double mold structure, JOC302XM4 series provide the most stable isolation feature. The products are widely used in solenoid/value controls, lighting controls, motor controls, temperature controls, static AC power switches, solid state relays, interfacing microprocessors up to 120 V<sub>AC</sub> peripherals.

### MAIN FEATURES

High isolation 3750 VRMS

DC input with random-phase photo triac output

Operating temperature range -55 to 100

REACH & RoHS compliance

Halogen free

MSL class 1

HBM: H3A ; MM: M4

CQC approved

VDE approved


UL approved

### ABSOLUTE MAXIMUM RATINGS (Temperature=25°C)



ORDERING AND MARKING INFORMATION

MARKING INFORMATION



**JOC302XM4**



TEST CIRCUITS

FIG.12: Test Circuits of Turn On Time




FIG.13: Waveforms of Turn On Time




Fig.14: Test Circuits of dV/dt







Fig.15: Waveforms of dV/dt




Package Dimension (Unit: mm)



Ref.	Dimensions					
	Millimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	4.20		4.85	0.165		0.191
B	3.30		4.40	0.130		0.173
C						
D	1.75		2.80	0.069		0.110
E	4.90		5.80	0.193		0.228
F						
G	6.30			0.248		
H						
I						
J						



REFLOW INFORMATION



Information furnished in this document is believed to be accurate and reliable. However, Jiangsu JieJie Microelectronics Co., Ltd. assumes no responsibility for the consequences of use without consideration for such information nor use beyond it. Information mentioned in this document is subject to change without notice, apart from that when an agreement is signed, Jiangsu JieJie complies with the agreement.

Products and information provided in this document have no infringement of patents. Jiangsu JieJie assumes no responsibility for any infringement of other rights of third parties which may result from the use of such products and information. This document supersedes and replaces all information previously supplied.



is a registered trademark of Jiangsu JieJie Microelectronics Co., Ltd.

Copyright © 2025 Jiangsu JieJie Microelectronics Co., Ltd. All rights reserved.