



DESCRIPTION:

7KH -67) %: WMLWDEOVHVRU JHQHUDO SXUSRVH
\$& VZLWFKLQJ ,W FDQ EH XVHG DV DQ 21 2)) IXQFWLRQ
LQ DSSOLFDWLRQV VXFHSDWLRQWILQGXFWRQ PRWRU
VWDUWLQJ FLUFHQWVRIORSHUDWLRQ LQ OLJKW
GLPPHUV PRWRU VSHHG FRQWUROOHUV -67) %:
VQXEEHUOHVV WOODFHLFRPVSIOFLDG IRU XVH RQ
LQGXFWLYH ORDGVWUQVQSDQWLF SDFNDJH
-67) %: SURYLGHV D UDWHG LQVXODWLRQ YROWDJH RI
9506 FRPSO\LQJ ZLWK 8/ VWDQGDUGV)LOH UHI (




ORDERING INFORMATION

- LH-LH 0LFURHOHF		6 7		)	
WURQLFV &R		/WG			
7ULDFV					
		,7 506 \$			
		) 72) ,QV			
				950 9501 9	
				% : *,7 0 P\$	

%

MARKING






0D[LPXP SRZHU GLVVLSDWLRQ YHUVXV RQ6VWDWH FXUUHQW YHUVXV
RQ VWDWH FXUUHQW WHPSHUDWXUH



PACKAGE MECHANICAL DATA





,QIRUPDWLRQ IXUQXFNHGW ILQ WKOLHGYMB DQGEWHDFLDEUDH +
-LDQJVVX -LH-LH 0L&RRHOWHGWDRVQLFFVVOQWUHRUSRQVHLIERQVH
RI XVH ZLWKRRXW FRQVLGHUDWLRQ IRG MWFKQLELPUPDWLRLQRE
LQ WKLW GRFXPHQW LV VXEMHFW WR FKKDQHZKHLQKRXWJQR
VLJQHG -LDQJVSOLHVLZILFKPWKH DJUHHPHQW
3URGXFVV DQG LQIRUPDWLRQ SURYLGHGJHQPHQWVRIGSDXPH
-LDQJVVX -LH-LH DVVXREVOQWUIHRUSDOVPLRQUSQÀÀPHQW@R€